

To: Grossman, Lenny[Grossman.Lenny@epa.gov]
From: Melendez Colon, Suzette
Sent: Fri 5/10/2013 1:09:10 PM
Subject: RE: Agremax Land Placement Site Visits

Thank you Lenny.

From: Grossman, Lenny [mailto:Grossman.Lenny@epa.gov]
Sent: Thursday, May 09, 2013 5:31 PM
To: Melendez Colon, Suzette
Subject: Agremax Land Placement Site Visits

Dear Suzette,

Attached please find notes and photographs for the Agremax land placement sites I visited in 2011. I will also provide photographs from my 2012 site visits (for which there are no notes), as well as notes and photographs from our 2012 sampling inspection at the AES facility, in a follow-up email.

I am planning a conference call next week with Melvin Sotomayor to discuss coordination of our agencies' enforcement actions involving the Lajas Landfill, and would also like to propose that our agencies subsequently commence monthly conference calls to discuss solid and hazardous waste enforcement cases.

Best regards,

Len

Photographs June 21, 2011

Parque Gabriella II (*See attached file: R0011647.JPG*)(*See attached file: R0011649.JPG*)(*See attached file: R0011659.JPG*)

Porto Bello Plaza (*See attached file: R0011661.JPG*)(*See attached file: R0011662.JPG*)(*See attached file: R0011666.JPG*)

Marbella (*See attached file: R0011668.JPG*)

Valles de Salinas (*See attached file: R0011672.JPG*)(*See attached file: R0011673.JPG*)(*See attached file: R0011674.JPG*)

Evelymar (*See attached file: R0011675.JPG*)

Dueno Santa Paulo Oil (*See attached file: R0011681.JPG*)(*See attached file: R0011682.JPG*)(*See attached file: R0011688.JPG*)

AES Well Field (*See attached file: R0011720.JPG*)(*See attached file: R0011723.JPG*) (*See attached file: R0011727.JPG*)

Los Recreos Plaza (*See attached file: R0011728.JPG*)

Eta Sigma Alpha, Inc. *(See attached file: R0011745.JPG)(See attached file: R0011746.JPG)(See attached file: R0011747.JPG)*

Route 3, Kilometer 128.4 *(See attached file: R0011751.JPG)(See attached file: R0011755.JPG)*

Notes June 21, 2011 *(See attached file: AgremaxInspections.pdf)*